



BARGE "GONSOULIN - 124" LE BEOUF BROTHERS

INNAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2146-2

Table with 15 columns (0 FT. to 14 FT.) and 15 rows (0 to 3/4). Each cell contains numerical values representing measurements for different gauge heights and depths.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 12/14/05

REFERENCE GAUGE HEIGHT : 16'-6 3/4" (RIM OF HATCH ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "GONSOLIN - 124"
LE BEOUF BROTHERS

INNAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2146-2

Table with columns for gauge height (0 FT. to 14 FT.) and rows for depth (0 to 3/4). Each cell contains capacity values in barrels. Includes a sub-row for 'SUMP' at 0 ft depth.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 12/14/05

PORT REFERENCE GAUGE HEIGHT : 16'-6 3/4" (RIM OF HATCH ON EXPANSION TRUNK)

STAR REFERENCE GAUGE HEIGHT : 16'-7" (RIM OF HATCH ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "GONSOU LIN - 124"
LE BEOUF BROTHERS

OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2146-2

Table with 21 columns representing 1 FT. to 16 FT. and 4 rows (0, 1/4, 1/2, 3/4) for each foot. Each cell contains numerical values representing measurements or capacities.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 12/14/05

REFERENCE GAUGE HEIGHT : 16'-7" (RIM OF HATCH ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature of an inspector.

INSPECTORATE AMERICA CORPORATION



BARGE "GONSOULIN - 124" LE BEOUF BROTHERS

OUTAGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2146-2

Table with columns for height (1 FT. to 16 FT.) and multiple rows of gauge readings (0, 1/4, 1/2, 3/4) for various points (0 to 11).

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 12/14/05

REFERENCE GAUGE HEIGHT : 16'-6 1/2" (RIM OF HATCH ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature

INSPECTORATE AMERICA CORPORATION



BARGE "GONSOULIN - 124"

LE BEOUF BROTHERS

HULL NO. 2146-2

CORRECTION TABLE FOR TRIM AFT.

FOR INNAGE GAUGES ONLY

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(-) 0' - 0 7/8"	(-) 0' - 1"	(+) 0' - 0 7/8"
1'-0"	(-) 0' - 1 3/4"	(-) 0' - 2"	(+) 0' - 1 3/4"
1'-6"	(-) 0' - 2 3/4"	(-) 0' - 3 1/8"	(+) 0' - 2 5/8"
2'-0"	(-) 0' - 3 5/8"	(-) 0' - 4 1/8"	(+) 0' - 3 1/2"
2'-6"	(-) 0' - 4 1/2"	(-) 0' - 5 1/8"	(+) 0' - 4 3/8"
3'-0"	(-) 0' - 5 3/8"	(-) 0' - 6 1/8"	(+) 0' - 5 1/8"
3'-6"	(-) 0' - 6 1/4"	(-) 0' - 7 1/8"	(+) 0' - 6"
4'-0"	(-) 0' - 7 1/4"	(-) 0' - 8 1/8"	(+) 0' - 6 7/8"
4'-6"	(-) 0' - 8 1/8"	(-) 0' - 9 1/4"	(+) 0' - 7 3/4"
5'-0"	(-) 0' - 9"	(-) 0' - 10 1/4"	(+) 0' - 8 5/8"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 12/14/05

BY:

INSPECTORATE AMERICA CORPORATION