

# Bourg Dry Dock & Service Co., Inc.

P.O. Box 1852  
Houma, La 70361

## Inspection of Tank Barge Cargo Pumping System

Barge: Gonsoulin 535 

Date: 09-09-2020

INSPECTED AND TESTED THE VESSEL'S PUMPING SYSTEM AS LISTED BELOW:


- 1. Cargo Piping & Valves
- 2. Discharge Pressure Gauge
- 3. Cargo Pump Safety Relief Valve
- 4. Cargo Pressure Gauge


THE SYSTEM TEST AT 188 PSI LBS. OF PRESSURE (1.5 x MAWP)

The maximum pressure that the pump is capable of producing  
or the pressure the safety valve relieved at 125 PSI

Name of Tester: Pedy Bueche

Witness Inspector: Terriel Mollere Jr.

Signature of Tester: 

Inspector Signature: 



**Bourg Dry Dock & Service Co., Inc.**

P.O. Box 1852  
Houma, Louisiana 70361

## Barge Vapor Tightness Test

This barge was tested in accordance with the National Emissions Standard from Benzene Transfer Operations, 40 CFR Section 61.304 (f) and is considered to be vapor tight. Test results are valid for 1 year from date of test.

Barge Name: G 535  
Official Number: 1246587  
Date of Test: 09-Sep-2020  
Maximum Load Rate (BPH): 6,000

Procedure: Pressure cargo tanks and vapor system to (28) twenty eight inches of water using a manometer and record the time and pressure. Close all air valves and allow the vessel to remain pressured to (30) thirty minutes. Use soap to test and inspect for leaks. After (30) thirty minutes, record pressure and times.

### Test Results

Time Started	<u>1:37 pm</u>	Beginning Pressure	<u>28</u> inches H2O
Time Completed	<u>3:00 pm</u>	Ending Pressure	<u>28</u> inches H2O
		Total Pressure Loss	<u>0</u> inches H2O
		Allowable Pressure Loss	<u>3</u> inches H2O

Tester's Name

Tester's Signature

<i>Cody Bueche</i>	<i>[Signature]</i>
--------------------	--------------------

Witness Name

Witness Signature

Terriel Mollere Jr.	<i>[Signature]</i>
---------------------	--------------------

Affiliation

Company of Witness

Quality Manager	Bourg Dry Dock & Services
-----------------	---------------------------



# Bourg Dry Dock & Service Co., Inc.

P.O. Box 1852  
Houma, La 70361

## Hydrostatic Cargo Hose Certificate

Barge Servicing: G535

Date: 09-09-2020

1. Hose Test Date:	<u>09-09-2020</u>
2. Serial or ID Number:	<u>CHTX 23342</u>
3. Maximum Temp. Rating (if applicable):	<u>212°</u>
4. Maximum Operating Pressure:	<u>150</u>
5. Test Pressure:	<u>225</u>
6. Manufacture Date (if known):	<u>N/A</u>

Name of Tester: Brad Donnes

Witness Inspector: Terriel Mollere Jr.

Signature of Tester: 

Inspector Signature: 

Note: Testing is a combination of compressed air and nitrogen to limit the amount of moisture exposure to hoses used for petroleum base cargos or other types of cargos that may have an adverse effect to water.

P.O. Box 3562  
Houma, LA 70361



Phone: 985-873-7959  
Fax: 985-851-6714

HYDROSTATIC HOSE TEST REPORT

DATE 09/08/20  
DATE OF MFG 09/08/20  
TESTED ON 09/08/20  
CUSTOMER NAME LEBEOUF BROS PO# G535  
RIG/VESSEL NAME 6338 NEW TEST  RETEST   
SERIAL # 237137-1 INVOICE # 204756  
DESCRIPTION 8" X 25FT VAPOR HOSE CPLD  
FIXED X FLOATING 150# FLANGES  
WORKING PRESSURE 100 PSI TEST PRESSURE 150 PSI  
BURST PRESSURE 400 PSI SERVICE VAPOR

Hose meets or exceeds the requirements as specified by Title 33 in Coast Guard Federal Register 154.500 which refers to CFR 75-124, 45 FR7172, Jan. 31, 1980

TESTED BY Andre Tanguy

WITNESSED BY Taylor Pellegrin

All testing on this product was conducted in accordance with acceptable industry standards. Spartan Industrial Products certifies that the results set forth are accurate. This test certificate does not constitute or convey any warranty, including implied warranty of merchantability, fitness for a particular purpose, or other warranty of quality, either expressed or implied of this product, other than any manufacturer's warranty, if available on this product. Spartan Industrial Products shall not be liable for any injury or damages arising from misuse, improper handling or alteration of this product, including without limitation, use that exceeds the manufacturers standards.